Catalogue of Be Stars

(Jaschek and Egret 1982)

Documentation for the Computer-Readable Version

Anne C. Raugh January 1989

Doc. No. STX-T-25-3005-0001-89 Contract NAS 5-28752

Prepared for:

National Aeronautics and Space Administration Goddard Space Flight Center Greenbelt, MD 20771

Prepared by:

ST Systems Corporation 4400 Forbes Blvd. Lanham, MD 20706

Abstract

This document describes the computer-readable version of the Catalogue of Be Stars (Jaschek and Egret 1982) distributed by the Astronomical Data Center, NASA Goddard Space Flight Center. This catalog is a compilation of observational data concerning 1,159 stars of type Be and is part of a larger effort to produce the Catalogue of Stellar Groups, a list of stars grouped according to spectral peculiarities. Listed for each star are identifications, position, V, U-B, B-V, radial velocity, MK spectral classification with the dispersion used, rotational velocity, and several flags indicating miscellaneous information.

The catalog is in two files: the first lists the identifications, coordinates, photometry, radial velocity, and MK spectral type; the second includes additional identifications, rotational velocity, and miscellaneous flags.

The present document describes the overall file structure and the individual data fields.

1 Introduction

A copy of this document should be distributed with every copy of the computerreadable catalog.

1.1 Description

The Catalogue of Be Stars (CBeS; Jaschek and Egret 1982) is a compilation of data concerning stars of type Be. For the purposes of this compilation, a Be star is defined as "a non-supergiant B star which showed emission in one Balmer line at least once" (Jaschek and Egret 1982). Stars without published MK spectral types have been excluded except for 132 stars from Bidelman and MacConnell (1973), who used the above definition but included no spectral types. 1,159 stars are included in this list.

The catalog is in two files. The first file lists the following information for each star:

- Identifications: DM number or CSI key, Be star number, and HD number
- Equatorial and galactic coordinates
- V, U-B, B-V, and associated quality indices
- Radial velocity and quality index
- MK spectral type with dispersion used or quality index

The second file repeats the identifications and MK spectral types of the first file in addition to the following information:

- Rotational velocity and probable error
- Two flags indicating whether the star is a visual or spectroscopic binary
- Three flags indicating in what other photometric system(s) the star has been measured
- Star name and variable star name

1.2 Reference

Jaschek, M. and Egret, D. 1982, *IAU Symposium No. 98*, "Be Stars", eds. M. Jaschek and H. G. Groth, p. 261.

2 Structure

2.1 Each File as a Whole

The CBeS consists of two files. Table 1 gives the machine-independent tape-file attributes. All records are of fixed length. The first file lists the main catalog data (Table 2), and the second file lists the additional information (Table 3). Detailed descriptions of each file are given below.

Quotations in any of the following descriptions come from Catalogue of Be Stars unless otherwise noted.

| Catalogue of Be Stars (Jaschek and Egret 1982) | | | | | | |
|--|------------------|--------|--------|-----------|--|--|
| | | Record | Record | Number of | | |
| File | Contents | Format | Length | Records | | |
| 1 | Catalog | Fixed | 126 | 1,159 | | |
| 2 | Additional Info. | Fixed | 96 | 1,159 | | |

Table 1: Summary Description of Catalog Files

2.2 Catalog (File 1 of 2)

This file lists the main catalog data.

DM/CSI number Durchmusterung numbers are indicated by 'BD", "CD", or "CP" in bytes 1-2, followed by the DM number in the form \pm ZZNNNNN, where ZZ is the declination zone and NNNNN is the sequential number of the star within the zone. Numbers from the Catalogue of Stellar Identifications (CSI; Ochsenbein et al. 1981) are indicated by blanks in bytes 1-2, followed by the CSI number in the form $\pm ZZ-NNNNN$, where ZZ is the declination zone and NNNNN is the sequential number of the star within the zone.

Be star number

Star number from one of the following catalogs:

Merrill, P. W. and Burwell, C. G. 1933, *Astrophys. J.*, **78**, 87. Merrill, P. W. and Burwell, C. G. 1943, Astrophys. J., 98, 153. Merrill, P. W. and Burwell, C. G. 1949, Astrophys. J., 110, 387.

Merrill, P. W. and Burwell, C. G. 1950, Astrophys. J., 122, 72. \mathbf{AS} Miller, W. C. and Merrill, P. W. 1951, Astrophys. J., 113, 624.

Henize Henize, K. G. 1976, Astrophys. J. Suppl. Ser., 30, 491.

HD number

Number from the Henry Draper Catalogue (Cannon and Pickering 1918-1924). The suffix is a single-character code. "A" indicates the first component of a multiple system; "/" indicates that the HD number is the first of two consecutive HD numbers for a multiple system in which only one spectrum is observable.

| | | Suggested | |
|---------|-----------------|-----------|-------------------------|
| Bytes | Units | Format | Data |
| 1-11 | | A11 | DM/CSI number |
| 12 | | 1X | Blank |
| 13-21 | | A9 | Be star number |
| 22-28 | | I7 | HD number |
| 29 | | A1 | HD suffix |
| 30-32 | hr | I3 | Right ascension |
| 33-35 | \min | I3 | |
| 36-40 | \sec | F5.1 | |
| 41 | | A1 | Coordinate flag |
| 42 | | A1 | Declination sign |
| 43-44 | \deg | I2 | Declination |
| 45-47 | arcmin | I3 | |
| 48-50 | arcsec | I3 | |
| 51-52 | | 2X | Blank |
| 53-58 | \deg | F6.2 | Galactic longitude |
| 59 | | 1X | Blank |
| 60 | | A1 | Galactic latitude sign |
| 61-65 | \deg | F5.2 | Galactic latitude |
| 66-71 | $_{ m mag}$ | F6.2 | V |
| 72 | | A1 | V uncertainty |
| 73 | | A1 | $V \operatorname{flag}$ |
| 74 | | A1 | V source |
| 75 | | A1 | V quality |
| 76-77 | | 2X | Blank |
| 78-82 | $_{ m mag}$ | F5.2 | B-V |
| 83-84 | | 2X | Blank |
| 85 | | A1 | B- V quality |
| 86-87 | | 2X | Blank |
| 88-92 | mag | F5.2 | U- B |
| 93-94 | | 2X | Blank |
| 95 | | A1 | U- B quality |
| 96-102 | $\mathrm{km/s}$ | F7.1 | Radial velocity |
| 103 | | 1X | Blank |
| 104 | | A1 | Radial velocity quality |
| 105 | | 1X | Blank |
| 106-108 | | A3 | Dispersion |
| 109 | | 1X | Blank |
| 110-126 | | A17 | MK spectral type |

Table 2: Catalog Record Format

Equatorial coord. Equinox 1950.0. The **coordinate flag** is ":" to indicate uncertainty in the coordinates.

V uncertainty ":" if the magnitude in bytes 66-71 is uncertain. D. Egret (1987) notes

that in general this "flags a magnitude not given in the standard UBV

system."

V flag "V" indicates the star is variable; "D" indicates that the magnitude in

bytes 66-71 is the integrated value for both components of a binary system.

V source "*" if V is from the CSI; otherwise, the value is from Nicolet (1978).

V quality In all but one case, a single-digit integer indicating the quality of the V

magnitude. The numbers range from 1 (poor) to 4 (very good). Record

number 82 has the undefined character "E" in this field.

B-V quality In all but one case, a single-digit integer in the range 1 (poor) to 4 (very

good). Record number 82 has the undefined character "E" in this field.

U-B quality In all but one case, a single-digit integer in the range 1 (poor) to 4 (very

good). Record number 82 has the undefined character "E" in this field.

Radial velocity These values are taken from Wilson (1953) and Evans (1967), or from Abt

and Biggs (1972) or Barbier (1975) if no quality follows.

Rad. vel. quality Single character in the range A-F, as listed in Evans (1967). "A" represents

the best quality.

Dispersion Dispersion used to determine the **MK spectral type**, or a quality for the spectral type. When byte 108 contains "/", the **MK spectral type**

comes from Jaschek (1978) and bytes 106-107 indicate the dispersion used:

P Prism

OP Objective prism

G Grating

When this field contains a quality number, the **spectral type** is from the *Michigan Spectral Survey* (MSS; Houk and Cowley 1975, Houk 1978) and this field contains the spectral type quality, using the following codes:

1..4 Quality in the range 1 (very good) to 4 (poor)

+ The **MK spectral type** was found in the literature and not derived by N. Houk for the MSS.

X Overlap

When this field is blank, the **MK spectral type** came from a source other than Jaschek (1978), Kennedy (1980), or the MSS. These sources include the following:

Andersen, J. and Nordström, B. 1977, Astron. Astrophys. Suppl. Ser., 29, 309.

Andersen, J. and Nordström, B. 1979, Inf. Bull. CDS, 15, 39.

Graham, J. A. 1970, Astron. J., 75, 703.

Henize, K. 1976, Astrophys. J. Suppl. Ser., 30, 490.

Jaschek, M., Hubert-Delplace, A.-M., Hubert, H., and Jaschek, C. 1980, Astron. Astrophys. Suppl. Ser., 42, 103.

Lesh, J. R. 1968, Astrophys. J. Suppl. Ser., 17, 371.

Uesugi, A. 1976, A Revised Catalogue of Stellar Rotational Velocities, preliminary edition, preprint.

2.3 Additional Information (File 2 of 2)

This file repeats the identification and MK spectral type information of the first file and adds the rotational velocity data and a number of flags indicating miscellaneous information about each object.

DM/CSI number See the description in Section 2.2.

Be star number Star number in the MWC, AS, or Henize catalogs (see Section 2.2).

HD number See the description in Section 2.2.

Dispersion See the description in Section 2.2.

Rotational velocity The sources for this value and the associated error are Bernacca and Perinotto (1973), Uesugi and Fukuda (1970), and Uesugi (1976, preliminary version).

Rot. vel. prob. error Probable error in the rotational velocity in bytes 52-54, in km/s and enclosed in parentheses, "()".

Visual binary flag "*" if the object is a visual binary from the ADS (1932) or IDS (1963).

Spectroscopic binary "*" if the object is a spectroscopic binary with a known orbit (Batten 1967).

uvby photometry flag "*" if the object appears in Hauck and Mermilliod (1975, edition of 1976).

UBVRIJKLMN flag "*" if the object appears in Morel and Magnenat (1978).

| | | Suggested | |
|-------|------------|-----------|-----------------------|
| Bytes | Units | Format | Data |
| 1-11 | | A11 | DM/CSI number |
| 12 | | 1X | Blank |
| 13-21 | | A9 | Be star number |
| 22-28 | | I7 | HD number |
| 29 | | A1 | HD suffix |
| 30 | | 1X | Blank |
| 31-33 | | A3 | Dispersion |
| 34 | | 1X | Blank |
| 35-50 | | A16 | MK spectral type |
| 51 | | 1X | Blank |
| 52-54 | $\rm km/s$ | I3 | Rotational velocity |
| 55 | | 1X | Blank |
| 56 | | A1 | "(" or blank |
| 57-58 | $\rm km/s$ | I2 | Rot. vel. prob. error |
| 59 | | A1 | ")" or blank |
| 60 | | 1X | Blank |
| 61 | | A1 | Visual binary flag |
| 62 | | 1X | Blank |
| 63 | | A1 | Spectroscopic binary |
| 64 | | 1X | Blank |
| 65 | | A1 | uvby photometry flag |
| 66 | | 1X | Blank |
| 67 | | A1 | UBVRIJKLMN flag |
| 68 | | 1X | Blank |
| 69 | | A1 | UV measurement flag |
| 70 | | 1X | Blank |
| 71-85 | | A15 | Star name |
| 86 | | 1X | Blank |
| 87-96 | | A10 | Variable star name |

Table 3: Additional Information Record Format

UV measurement flag "*" if the object was observed by Celescope (Davis et al. 1973).

Star name Beyer-Flamsteed designation.

Variable star name Star name from Kukarkin et al. (1969).

3 History

3.1 Remarks and Modifications

The Catalogue of Be Stars (CBeS) was received by the Astronomical Data Center (ADC), NASA Goddard Space Flight Center, from the Centre de Données Astronomiques, Strasbourg (CDS), in November 1982.

The original tape consisted of two text files in a format similar to that described above. Eight bytes containing the file identifier were removed from the beginning of every record in both files, and leading and trailing blanks were trimmed to reduce the record size from 140 bytes in both files to 126 bytes in the first file and 96 bytes in the second file.

In the first file, the V magnitudes were shifted one byte to the left to allow the V uncertainty flag to be separated from the numeric field. In the second file, the left parenthesis sometimes occurring within the rotational velocity probable error field was moved outside that field to enable the error field to be read with the indicated FORTRAN format.

A FORTRAN program was run to check the validity of each field according to its data type and value. As a result, several non-numeric values were discovered in numeric fields of records in the first file. The character ":" found in the V quality field of records number 568, 753, and 827 was moved to the V uncertainty field. Record number 82 had the undefined character "E" in all three quality fields (V, B-V, and U-B). This record was left unchanged.

3.2 References for the Documentation

Abt, H. A. and Biggs, E. S. 1972, *Bibliography of Stellar Radial Velocities* (Kitt Peak Nat. Obs.).

Aitken, R. G. 1932, Carnegie Inst. of Washington, Publ. No. 417 (ADS; Washington).

Barbier, M. 1975, Bull. Inform. CDS, 8, 12.

Batten, A. H. 1967, Publ. Dominion Astrophys. Obs., 13, 119.

Bernacca, P. L. and Perinotto, M. 1973, Contrib. Oss. Astrofis. Univ. Padova, 239, 250, 294. Bidelman, W. P. and MacConnell, D. J. 1973, Astron. J., 78, 687.

Cannon, A. J. and Pickering, E. C. 1918-1924, The Henry Draper Catalogue, Ann. Astron. Obs. Harvard College 91-99.

Davis, R. J., Deutschman, W. A., and Haramundanis, K. L. 1973, Celescope Catalog of Ultraviolet Stellar Observations, SAO Special Report 350 (on magnetic tape; Washington, D.C.: Smithsonian Institution).

Egret, D. 1987, private communication.

Evans, D. S. 1967, *I.A.U. Symp.* **30**, 57, ed. A. H. Batten and J. F. Heard.

- Hauck, B. and Mermilliod, M. 1975, Astron. Astrophys. Suppl. Ser., 22, 235.
- Houk, N. and Cowley, A. P. 1975, Michigan Catalogue of 2-dimensional Spectral Types for HD Stars, Vol. I. (MSS; University of Michigan).
- Houk, N. 1978, Michigan Catalogue of 2-dimensional Spectral Types for HD Stars, Vol., II (MSS; University of Michigan).
- Jaschek, M. 1978, Bull. Inform. CDS, 15, 121.
- Jaschek, M. and Egret, D. 1982, IAU Symposium No. 98, "Be Stars", eds. M. Jashek and H. G. Groth, 261.
- Jeffers, H. M., van den Bos, W. H., and Greeby, F. M. 1963, Publ. Lick Obs., 21, 17 (IDS).
- Kennedy, P. M. 1980, MK Classification Extension (Mt. Stromlo Obs.).
- Kukarkin, B. V., Kholopov, P. N., Efremov, Yu. N., Kukarkina, N. P., Kurochkin, N. E., Medvedeva, G. I., Perova, N. B., Fedorovich, V. P., and Frolov, M. S. 1969, General Catalogue of Variable Stars (3rd edition; Moscow: Publishing House of the Academy of Sciences of the U.S.S.R.).
- Morel, M. and Magnenat, P. 1978, Astron. Astrophys. Suppl. Ser., 34, 477.
- Nicolet, B 1978, Astron. Astrophys. Suppl. Ser., 34, 1.
- Ochsenbein, F., Bischoff, M., and Egret, D. 1981, Astron. Astrophys. Suppl. Ser., 43, 259 (CSI).
- Uesugi, A. and Fukuda, I. 1970, Contrib. Inst. Astrophys. Kwasan Obs. Kyoto, 189.
- Uesugi, A. 1976, A Revised Catalogue of Stellar Rotational Velocities, preliminary edition, preprint.
- Wilson, R. F. 1953, General Catalogue of Stellar Radial Velocities, Carnegie Institute of Washington Publ. 601.